Proteinuria in Dogs

Dr. Nancy Kay, DVM, DACVIM

Nancy has more than 30 years of experience in the veterinary industry and is a board-certified veterinary specialist in internal medicine as well as a valued member of IDEXX's Pet Health Network team since 2014.

Proteinuria is defined as the presence of excess protein in the <u>urine</u>. <u>Dogs</u> can normally have a trace amount of protein in their urine. This represents small protein particles, those tiny enough to pass through the pores of the glomeruli (the <u>kidney's</u> microscopic filtration units). The glomeruli prevent albumin and other larger protein particles from entering the urine.

The discovery of excessive protein in a dog's urine warrants investigation to identify the underlying cause. The earlier the cause of the proteinuria is treated, the greater the likelihood of a positive outcome.

Causes of proteinuria in dogs

Potential sources of excessive protein within the urine include all of the different structures within the urinary tract. The protein can also originate from portions of the reproductive tract that are anatomically connected to the urinary tract (prostate gland, uterus, vagina). Sampling the urine directly from the urinary bladder with a needle (cystocentesis) can help reduce contamination as the urine passes out of the body.

The most common causes of proteinuria include:

- Infection
- Inflammation such as that caused by stones, polyps or <u>tumors</u>
- Bleeding
- Glomerular disease
- A lot of protein within the bloodstream (hemoglobin, globulin, myoglobin) resulting in excess protein filtered into the urine

Symptoms of proteinuria in dogs

In and of itself, proteinuria does not cause any symptoms. When symptoms do arise, they are typically caused by the underlying cause of this disorder. For example, **when proteinuria is caused by a bladder**

infection, symptoms commonly include:

- Urinating frequently
- Straining to urinate/inability to urinate
- · Blood within the urine
- Unusual odor to the urine

Proteinuria caused by glomerular disease often leads to chronic kidney disease, and the following symptoms may be observed when advanced:

- Loss of appetite
- Lethargy/weakness
- <u>Vomiting</u>
- Increased thirst and urine output

Diagnosis of proteinuria in dogs

The first step is documentation of proteinuria. This begins with a urinalysis. On appropriate urine samples, the amount of protein lost will be measured using a combination of the tests recommended by your veterinarian.

When honing in on the underlying cause of the proteinuria, in addition to a **thorough physical examination**, diagnostic steps may include:

- Complete blood cell count (CBC)
- Blood chemistry profile
- Urine culture
- Infectious disease testin
- Abdominal ultrasound
- Blood pressure measurement

A clear-cut diagnosis of glomerular disease requires a kidney biopsy. This can be accomplished via surgery, laparoscopy or with ultrasound guidance. Whichever method is used, collection of a kidney biopsy has the potential to cause significant complications. Thoughtful discussion with a veterinarian about risks and benefits should always precede a kidney biopsy. Click here to learn about glomerular disease.

Treatment and prognosis of proteinuria in dogs

Both the treatment of proteinuria and prognosis associated with this disorder vary enormously depending on the underlying cause. For example, an







Proteinuria in Dogs

infection within the lower urinary tract typically resolves with a course of antibiotics and the prognosis is excellent. Some dogs with glomerular disease respond favorably to treatment while others do not. The long-term prognosis for a <u>cancerous</u> process within the urinary tract is usually quite poor.

Should your dog be screened for proteinuria?

Even if your dog appears completely healthy, screening for proteinuria makes good sense in the following situations:

- Your dog is middle-aged or older, in which case testing the urine should be part of <u>annual</u> <u>health screening</u>.
- Your dog's <u>breed</u> is one that is predisposed to an inherited form of glomerular disease. This includes <u>Shar Peis</u>, <u>Soft Coated Wheaten</u> <u>Terriers</u>, <u>Bull Terriers</u>, <u>Dalmatians</u>, <u>Samoyeds</u>, <u>Bernese Mountain Dogs</u>, <u>Doberman Pinschers</u>, <u>Newfoundlands</u> and <u>English Cocker Spaniels</u>.
- Your dog is positive on screening tests for Lyme disease or other vector-borne infections.

Questions to ask your veterinarian

- What is the cause of my dog's proteinuria?
- What are the treatment options?
- What is the prognosis?
- How will my dog be monitored on an ongoing basis?

If you have any questions or concerns, you should always visit or call your veterinarian -- they are your best resource to ensure the health and well-being of your pets.





